

Errata Sheet for Minor Corrections to Eastern Municipal Water District 2015 Urban Water Management Plan (UWMP)

This errata sheet logs minor content errors that were identified after final adoption of the Eastern Municipal Water District 2015 UWMP. DWR has determined that these corrections are minor and do not require the UWMP to be amended.

- These data errors have been corrected in the Department of Water Resources (DWR) UWMP database at <http://wuedata.water.ca.gov>.
- This errata sheet has been filed with the UWMP in all locations where it is made publicly available, including the California State Library.

Name and agency of the person filing errata sheet:

Gordon Ng

Name

Eastern Municipal Water District

Agency

#	Description of Correction	Location	Rationale	Date Error Corrected
1	A footnote was added to UWMP Table 6-8 (DWR Table 6-2) to explain the balance between "Volume of Wastewater Collected in 2015" and "Wastewater Treated" located in Table 6-9.	Page 6-19	The footnote clarifies the balance of the values reported in the tables (treatment losses)	August 31, 2016
2	UWMP Table 6-9 (DWR Table 6-3) was revised and the volume of recycled water lost due to system losses such storage pond evaporation and incidental recharge was removed from the field "Recycled Within Service Area".	Page 6-20	This volume of lost water is not considered a beneficial use by DWR.	August 31, 2016

3	A footnote was added to UWMP Table 6-9 (DWR Table 6-3) to explain the balance between "Wastewater Treated" and "Recycled Within Service Area" (system losses) and to explain the balance between "Wastewater Treated" and "Volume of Wastewater Collected in 2015" (treatment losses) located in Table 6-8 (DWR Table 6-2)	Page 6-20	The footnotes clarify the balance of the values reported in the tables.	August 31, 2016
4	Minor text edits were made in Section 6.7.3 to indicate that 11,384 AF of the 45,385 AF produced was lost due to system losses such as incidental recharge and evaporation.	Page 6-21	This edit clarifies the text that corresponds to Table 6-9 (DWR Table 6-3)	August 31, 2016
5	UWMP Table 6-11 (DWR Table 6-4) was revised and the volume of recycled water lost due to system losses such as storage pond evaporation and incidental recharge was removed from the field "Other" for years 2015 – 2040.	Page 6-22	This volume of lost water is not considered a beneficial use by DWR.	August 31, 2016
6	Minor text edits were made in Section 6.7.4 to indicate that 32,766 AF of recycled water was delivered to recycled customers. The remainder was comprised of system losses.	Page 6-23	This volume of lost water is not considered a beneficial use by DWR.	August 31, 2016
7	UWMP Table 6-13 (DWR Table 6-5) was revised and the volume of recycled water lost due to system losses such as storage pond evaporation and incidental recharge was removed from the "Other" field.	Page 6-23	This volume of lost water is not considered a beneficial use by DWR.	August 31, 2016